PA DOOR DETAIL ON INSULATED PANEL


FOR SHEDS AND OUTBUILDINGS ONLY

<u>DETAIL LIST</u>		Revision	<u>Date</u>
00 / 04	COVER SHEET		
01 / 04	OUTWARDS OPENING DOOR DETAIL - INSULATED FLAT PANEL	1.0	APR 2024
02 / 04	OUTWARDS OPENING DOOR DETAIL - INSULATED TRAPEZOIDAL PANEL	1.0	APR 2024
03 / 04	INWARDS OPENING DOOR DETAIL - INSULATED FLAT PANEL	1.0	APR 2024
04 / 04	INWARDS OPENING DOOR DETAIL - INSULATED TRAPEZOIDAL PANEL	1.0	APR 2024

THESE DETAILS HAVE CURRENTLY NOT BEEN REVIEWED OR APPROVED UNDER THE CODEMARK CERTIFICATE. OUR AIM IS TO OBTAIN APPROVAL FOR THESE DETAILS AT A FUTURE DATE. PLEASE CONSULT METALCRAFT INSULATED PANELS.







THESE DETAILS HAVE CURRENTLY NOT BEEN REVIEWED OR APPROVED UNDER THE CODEMARK CERTIFICATE. OUR AIM IS TO OBTAIN APPROVAL FOR THESE DETAILS AT A FUTURE DATE. PLEASE CONSULT METALCRAFT INSULATED PANELS.



DISCLAIMER:


All details are to be used for indicative purposes only. Details of the supporting mechanisms are indicative only and require engineering by others. Compliance of the supporting mechanisms is the responsibility of the designer. Construction detail can vary for wall cladding. The underlay is detailed as a single line for simplicity and is indicative only. Building paper type and method of installation should comply with underlay manufacturers recommendations and NZBC regulations.


OUTWARDS OPENING DOOR DETAIL - INSULATED FLAT PANEL

PA Doors Rev. 1.0

PA DOOR ON INSULATED PANEL


 Reference
 PADIP
 Date
 APR 2024
 Scale 1:25 AND 1:2
 Sheet
 01 / 04






FULL FRAME - RIGHT HAND


CUT SIZE TO SUIT DOOR HEIGHT = 2045mm WIDTH = 875mm




NO BOTTOM FRAME - LEFT HAND

CUT SIZE TO SUIT DOOR HEIGHT = 2035mm WIDTH = 875mm







THESE DETAILS HAVE CURRENTLY NOT BEEN REVIEWED OR APPROVED UNDER THE CODEMARK CERTIFICATE. OUR AIM IS TO OBTAIN APPROVAL FOR THESE DETAILS AT A FUTURE DATE. PLEASE CONSULT METALCRAFT INSULATED PANELS.

Metalcraft
Insulated Panels
www.metalcraftgroup.co.nz

DISCLAIMER:
All details are to be used for indicative purposes only. Details of the supporting mechanisms are indicative only and require engineering by others. Compliance of the supporting mechanisms is the responsibility of the designer. Construction detail can vary for wall cladding. The underlay is detailed as a single line for simplicity and is indicative only. Building paper type and method of installation should comply with underlay manufacturers recommendations and NZBC regulations.


INWARDS OPENING DOOR DETAIL - INSULATED FLAT PANEL

PA Doors

Rev. 1.0

PA DOOR ON INSULATED PANEL

Reference PADIP Date APR 2024 Scale 1:25 AND 1:2 Sheet 03 / 04



THESE DETAILS HAVE CURRENTLY NOT BEEN REVIEWED OR APPROVED UNDER THE CODEMARK CERTIFICATE. OUR AIM IS TO OBTAIN APPROVAL FOR THESE DETAILS AT A FUTURE DATE. PLEASE CONSULT METALCRAFT INSULATED PANELS.



DISCLAIMER:

All details are to be used for indicative purposes only. Details of the supporting mechanisms are indicative only and require engineering by others. Compliance of the supporting mechanisms is the responsibility of the designer. Construction detail can vary for wall cladding. The underlay is detailed as a single line for simplicity and is indicative only. Building paper type and method of installation should comply with underlay manufacturers recommendations and NZBC regulations.

INWARDS OPENING DOOR DETAIL - INSULATED TRAPEZOIDAL PANEL

PA Doors

Rev. 1.0

PA DOOR ON INSULATED PANEL

Reference PADIP Date APR 2024 Scale 1:25 AND

Scale 1:25 AND 1:2 Sheet **04 / 04**